



Gateway Safety Product Warning & Usage Instructions for Protective Eyewear (IR)

Please refer to individual product packaging for specific warning and product standard information.

WARNING! PLEASE READ BEFORE USING! THIS TEXT MUST BE PROVIDED TO WEARER! USAGE INSTRUCTIONS AND WARNING INFORMATION MUST BE READ BY WEARER.

- Wearer should consult with your supervisor and safety specialist and the ANSI Z87.1 or CSA Z94.3 standard to determine the proper protection required.
- Safety spectacles provide limited protection and are not unbreakable.
- Safety spectacles will not protect against severe impact hazards. Machine guards, engineered devices, or additional protective equipment must be worn for these hazards.
- This spectacle only provides protection for the observation of non-electric gas welding operations. Do not use in direct welding or in observing electric welding.
- No modifications should be made to these safety spectacles.
- Do not use for paintball or other simulated war activities.
- If your job or working conditions expose you to flying particles, objects, or liquids, additional protective devices such as protective spectacles with firmly secured cup-type or semi-sideshields, goggles, or a faceshield, may be needed for adequate protection.
- Exposure or contact with some chemical vapors or liquids may cause surface cracks or distortion and reduce impact resistance.
- Examine spectacles prior to each use. If there is any sign of damage, such as pit marks, cracks, scratches, or distortion, impact resistance is severely reduced and spectacles should be replaced immediately.
- Assure that this eyewear fits securely at all times. Stop using and notify your supervisor immediately if they do not.
- Cleaning: Rinse with warm water or Gateway Safety lens cleaning solution only. Remove excess liquid by patting with soft tissue or microfiber cloth. Do not use ammonia, alkaline cleaners, solvents, or abrasive cleaning compounds, which may reduce impact resistance.
- FAILURE TO FOLLOW THESE WARNINGS COULD RESULT IN SERIOUS INJURY, INCLUDING BLINDNESS, OR DEATH.
- This spectacle complies with ANSI Z87.1+ and CSA Z94.3.
- This spectacle blocks 99.9% of UV-A, UV-B, & UV-C light, up to 380nm.